Substitute Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Attorney's Docket No. 13425-122001	Application No. 10/622,055
laformation Dis	closure Statement	Applicant Cernerud et al.	
	ets if necessary)	Filing Date July 17, 2003	Group Art Unit

RADEM			U.S. Pate	ent Documents			
Examiner Initial	Desig. ID	Document Number	Publication Date	Patentee	Class	Subclass	Filing Date If Appropriate
	AA 、	5,134,149	07/28/92	Carr, et al.	514	317	ļ
21	AB	5,538,974	07/23/96	Ogawa et al.	514	253	
25	AC	6,143,792	11/07/00	Cattelin	514	640	
21	AD	6,358,977	03/19/02	Carlsson	514	317	

	Foreign Patent Documents or Published Foreign Patent Applications							
Examiner Initial	Desig. ID	Document Number	Publication Date	Country or Patent Office	Class	Subclass	Tran: Yes	slation No.
ZT	AE	EP 0522226A1	12/20/91	EPO				
77	AF	EP 0695545A1	06/14/95	EPO	←			
25	AG	WO 00/12090	03/09/00	WIPO				
21	AH	WO 01/89498 A2	11/29/01	WIPO				

	Other Documents (include Author, Title, Date, and Place of Publication)				
Examiner Initial	Desig. ID	Document			
25	· AI	Abbot, F.V., et al., "Activation of 5-HT _{2A} Receptors Potentiates Pain Produced by Inflammatory Mediators", Neuropharmacology, vol. 35(1), pp. 99-110, 1996.			
25	AJ	Apelqvist, J., et al., "Ketanserin in the treatment of diabetic foot ulcer with severe peripheral vascular disease", <i>International Angiology</i> , vol. 9, pp. 120-124, 1990.			
27	AK	Bush, L.R., et al., "The Role of the Endothelium in Arterial Thrombosis and the Influence of Antithrombotic Therapy", <i>Drug Development Research</i> , vol. 7, pp. 319-340, 1986.			
27	AL	Cohen, M.L., "Canine, but not rat bladder contracts to serotonin via activation of 5HT ₂ receptors", The Journal of Urology, vol. 143, pp. 1037-1040, 1990.			
21	AM	Costagliola, C., et al., "Effect of tropical ketanserin administration on intraocular pressure", British Journal of Ophthalmology, vol. 77, pp. 344-348, 1993.			
ZT	AN	Danton, G., et al., "Endothelium-targeted pharmacotherapeutics for the treatment of stroke", Current Opinion in Investigational Drugs, vol. 3(6), pp. 896-904, 2002.			
2	AO	Dietrich, W.D., et al., "Effect of the serotonin antagonist ketanserin on the hemodynamic and morphological consequences of thrombotic infarction", Journal of Cerebral Blood Flow and Metabolism, vol. 9, pp. 812-820, 1989.			
3	AP	Dursun, S.M., et al., "An exploratory approach to the serotonergic hypothesis of depression: bridging the synaptic gap", <i>Medical Hypotheses</i> , vol. 56(2), pp. 235-243, 2001.			
否	AQ	Furukawa, K., et al., "Therapeutic effects of sarpogrelate hydrochloride (MCI-9042) on chronic arterial occlusive diseases: a double-blind comparison with ticlopidine hydrochloride", J. Clin. Ther. Med. 1991, 7, 1747-1770.			
25	AR	Gelders, Y.G., "Thymosthenic agents, a novel approach in the treatment of schizophrenia", British Journal of Psychiatry, vol. 155(suppl.), pp. 33-36, 1989.			

	Date Considered 21 AV6VST 2006
EXAMINER: Initials citation considered. Draw line through citation if no next communication to applicant.	t in conformance and not considered. Include copy of this form with

Substitute Form PTO-1449 (Modified)			Application No. 10/622,055
Information Disclosure Statement by Applicant (Use several sheets if necessary) (37 CFR §1.98(b))		Applicant Cernerud et al.	
		Filing Date July 17, 2003	Group Art Unit 1614 1 624

Examiner Initial ID AS Hara, N., et al., "Antithrombotic effect of MCI-9042, a new antiplatelet agent on experimental thrombosis models", Thrombosis and Haemostasis, vol. 66(4), pp. 484-488, 1991. AT Hemmeter, U., et al., "Schlafstorungen bei chronischen schmerzen und generalisierter tendomyopathie", Schweiz Med Wochenschr, vol. 125, pp. 2391-2397, 1995. (Abstract Only) Hotta, N., et al., "Effects of the 5-HT _{2A} receptor antagonist sarpogrelate in diabetic patients with complications", Clin Drug Invest, vol. 18(3), pp. 199-207, 1999. Ichiyanagi, N., et al., "Changed responsiveness of the detrusor in rabbits with alloxan induced hyperglycemia: Possible role of 5-hydroxytryptamine for diabetic bladder dysfunction", The Journ of Urology, vol. 168, pp. 303-307, 2002. AW Ishimura, E., et al., "Therapeutic effect of sarpogrelate, a new 5-hydroxytryptamine receptor 2A antagonist, on diabetic nephropathy and neuropathy", Nephron, vol. 76, pp. 227-229, 1997. Jackson, J., et al., "Enhancement of [m-methoxy 3H]MDL100907 binding to 5HT _{2A} receptors in cerebral cortex and brain stem of streptozotocin induced diabetic rats", Molecular and Cellular Biochemistry, vol. 199, pp. 81-85, 1999. AY Kaplan, S.A., et al., "Urodynamic findings in patients with diabetic cystopathy", The Journal of Urology, vol. 153, pp. 342-344, 1995. Kihara, H., et al., "Antithrombotic activity of AT-1015, a potent 5-HT _{2A} receptor antagonist, in rat arterial thrombosis model and its effect on bleeding time", European Journal of Pharmacology, vol. 433, pp. 157-162, 2001.		Other D	ocuments (include Author, Title, Date, and Place of Publication)
AS Hara, N., et al., "Antithrombotic effect of MCI-9042, a new antiplatelet agent on experimental thrombosis models", Thrombosis and Haemostasis, vol. 66(4), pp. 484-488, 1991. AT Hemmeter, U., et al., "Schlafstorungen bei chronischen schmerzen und generalisierter tendomyopathie", Schweiz Med Wochenschr, vol. 125, pp. 2391-2397, 1995. (Abstract Only) AU Hotta, N., et al., "Effects of the 5-HT _{2A} receptor antagonist sarpogrelate in diabetic patients with complications", Clin Drug Invest, vol. 18(3), pp. 199-207, 1999. Ichiyanagi, N., et al., "Changed responsiveness of the detrusor in rabbits with alloxan induced hyperglycemia: Possible role of 5-hydroxytryptamine for diabetic bladder dysfunction", The Journ of Urology, vol. 168, pp. 303-307, 2002. AW Ishimura, E., et al., "Therapeutic effect of sarpogrelate, a new 5-hydroxytryptamine receptor 2A antagonist, on diabetic nephropathy and neuropathy", Nephron, vol. 76, pp. 227-229, 1997. Jackson, J., et al., "Enhancement of [m-methoxy 3H]MDL100907 binding to 5HT _{2A} receptors in cerebral cortex and brain stem of streptozotocin induced diabetic rats", Molecular and Cellular Biochemistry, vol. 199, pp. 81-85, 1999. AY Kaplan, S.A., et al., "Urodynamic findings in patients with diabetic cystopathy", The Journal of Urology, vol. 153, pp. 342-344, 1995. Kihara, H., et al., "Antithrombotic activity of AT-1015, a potent 5-HT _{2A} receptor antagonist, in rat arterial thrombosis model and its effect on bleeding time", European Journal of Pharmacology, vol. 151, pp. 157-162, 2001. Kim H. L. et al., "Antithrombotic activity on prot bladder contractility", Urologia Internationalis			Decument
thrombosis models", Thrombosis and Haemostasis, vol. 66(4), pp. 484-488, 1991. Hemmeter, U., et al., "Schlafstorungen bei chronischen schmerzen und generalisierter tendomyopathie", Schweiz Med Wochenschr, vol. 125, pp. 2391-2397, 1995. (Abstract Only) Hotta, N., et al., "Effects of the 5-HT _{2A} receptor antagonist sarpogrelate in diabetic patients with complications", Clin Drug Invest, vol. 18(3), pp. 199-207, 1999. Ichiyanagi, N., et al., "Changed responsiveness of the detrusor in rabbits with alloxan induced hyperglycemia: Possible role of 5-hydroxytryptamine for diabetic bladder dysfunction", The Journ of Urology, vol. 168, pp. 303-307, 2002. AW Ishimura, E., et al., "Therapeutic effect of sarpogrelate, a new 5-hydroxytryptamine receptor 2A antagonist, on diabetic nephropathy and neuropathy", Nephron, vol. 76, pp. 227-229, 1997. Jackson, J., et al., "Enhancement of [m-methoxy 3H]MDL100907 binding to 5HT _{2A} receptors in cerebral cortex and brain stem of streptozotocin induced diabetic rats", Molecular and Cellular Biochemistry, vol. 199, pp. 81-85, 1999. AY Kaplan, S.A., et al., "Urodynamic findings in patients with diabetic cystopathy", The Journal of Urology, vol. 153, pp. 342-344, 1995. Kihara, H., et al., "Antithrombotic activity of AT-1015, a potent 5-HT _{2A} receptor antagonist, in rat arterial thrombosis model and its effect on bleeding time", European Journal of Pharmacology, vol. 153, pp. 157-162, 2001.	initial	ID	
Hemmeter, U., et al., "Schlafstorungen bei chronischen schmerzen und generalisierter tendomyopathie", Schweiz Med Wochenschr, vol. 125, pp. 2391-2397, 1995. (Abstract Only) AU Hotta, N., et al., "Effects of the 5-HT _{2A} receptor antagonist sarpogrelate in diabetic patients with complications", Clin Drug Invest, vol. 18(3), pp. 199-207, 1999. Ichiyanagi, N., et al., "Changed responsiveness of the detrusor in rabbits with alloxan induced hyperglycemia: Possible role of 5-hydroxytryptamine for diabetic bladder dysfunction", The Journ of Urology, vol. 168, pp. 303-307, 2002. AW Ishimura, E., et al., "Therapeutic effect of sarpogrelate, a new 5-hydroxytryptamine receptor 2A antagonist, on diabetic nephropathy and neuropathy", Nephron, vol. 76, pp. 227-229, 1997. Jackson, J., et al., "Enhancement of [m-methoxy 3H]MDL100907 binding to 5HT _{2A} receptors in cerebral cortex and brain stem of streptozotocin induced diabetic rats", Molecular and Cellular Biochemistry, vol. 199, pp. 81-85, 1999. AY Kaplan, S.A., et al., "Urodynamic findings in patients with diabetic cystopathy", The Journal of Urology, vol. 153, pp. 342-344, 1995. Kihara, H., et al., "Antithrombotic activity of AT-1015, a potent 5-HT _{2A} receptor antagonist, in rat arterial thrombosis model and its effect on bleeding time", European Journal of Pharmacology, vol. 433, pp. 157-162, 2001.	21	AS	thrombosis models". Thrombosis and Haemostasis, vol. 66(4), pp. 484-488, 1991.
AU Hotta, N., et al., "Effects of the 5-HT _{2A} receptor antagonist sarpogrelate in diabetic patients with complications", Clin Drug Invest, vol. 18(3), pp. 199-207, 1999. Ichiyanagi, N., et al., "Changed responsiveness of the detrusor in rabbits with alloxan induced hyperglycemia: Possible role of 5-hydroxytryptamine for diabetic bladder dysfunction", The Journ of Urology, vol. 168, pp. 303-307, 2002. AW Ishimura, E., et al., "Therapeutic effect of sarpogrelate, a new 5-hydroxytryptamine receptor 2A antagonist, on diabetic nephropathy and neuropathy", Nephron, vol. 76, pp. 227-229, 1997. Jackson, J., et al., "Enhancement of [m-methoxy 3H]MDL100907 binding to 5HT _{2A} receptors in cerebral cortex and brain stem of streptozotocin induced diabetic rats", Molecular and Cellular Biochemistry, vol. 199, pp. 81-85, 1999. AY Kaplan, S.A., et al., "Urodynamic findings in patients with diabetic cystopathy", The Journal of Urology, vol. 153, pp. 342-344, 1995. Kihara, H., et al., "Antithrombotic activity of AT-1015, a potent 5-HT _{2A} receptor antagonist, in rat arterial thrombosis model and its effect on bleeding time", European Journal of Pharmacology, vol. 433, pp. 157-162, 2001. Kim H. L. et al. "Anute effects of serotonin on rat bladder contractility", Urologia Internationalis		4.7	Hemmeter, U., et al., "Schlafstorungen bei chronischen schmerzen und generalisierter
Complications", Clin Drug Invest, vol. 18(3), pp. 199-207, 1999. Ichiyanagi, N., et al., "Changed responsiveness of the detrusor in rabbits with alloxan induced hyperglycemia: Possible role of 5-hydroxytryptamine for diabetic bladder dysfunction", The Journ of Urology, vol. 168, pp. 303-307, 2002. AW Ishimura, E., et al., "Therapeutic effect of sarpogrelate, a new 5-hydroxytryptamine receptor 2A antagonist, on diabetic nephropathy and neuropathy", Nephron, vol. 76, pp. 227-229, 1997. Jackson, J., et al., "Enhancement of [m-methoxy 3H]MDL100907 binding to 5HT _{2A} receptors in cerebral cortex and brain stem of streptozotocin induced diabetic rats", Molecular and Cellular Biochemistry, vol. 199, pp. 81-85, 1999. AY Kaplan, S.A., et al., "Urodynamic findings in patients with diabetic cystopathy", The Journal of Urology, vol. 153, pp. 342-344, 1995. Kihara, H., et al., "Antithrombotic activity of AT-1015, a potent 5-HT _{2A} receptor antagonist, in rate arterial thrombosis model and its effect on bleeding time", European Journal of Pharmacology, vol. 433, pp. 157-162, 2001.	25	AI	
Ichiyanagi, N., et al., "Changed responsiveness of the detrusor in rabbits with alloxan induced hyperglycemia: Possible role of 5-hydroxytryptamine for diabetic bladder dysfunction", The Journ of Urology, vol. 168, pp. 303-307, 2002. AW Ishimura, E., et al., "Therapeutic effect of sarpogrelate, a new 5-hydroxytryptamine receptor 2A antagonist, on diabetic nephropathy and neuropathy", Nephron, vol. 76, pp. 227-229, 1997. Jackson, J., et al., "Enhancement of [m-methoxy 3H]MDL100907 binding to 5HT _{2A} receptors in cerebral cortex and brain stem of streptozotocin induced diabetic rats", Molecular and Cellular Biochemistry, vol. 199, pp. 81-85, 1999. AY Kaplan, S.A., et al., "Urodynamic findings in patients with diabetic cystopathy", The Journal of Urology, vol. 153, pp. 342-344, 1995. Kihara, H., et al., "Antithrombotic activity of AT-1015, a potent 5-HT _{2A} receptor antagonist, in rat arterial thrombosis model and its effect on bleeding time", European Journal of Pharmacology, vol. 433, pp. 157-162, 2001.	21	ΑÜ	complications", Clin Drug Invest, vol. 18(3), pp. 199-207, 1999.
AW Ishimura, E., et al., "Therapeutic effect of sarpogrelate, a new 5-hydroxytryptamine receptor 2A antagonist, on diabetic nephropathy and neuropathy", Nephron, vol. 76, pp. 227-229, 1997. Jackson, J., et al., "Enhancement of [m-methoxy 3H]MDL100907 binding to 5HT _{2A} receptors in cerebral cortex and brain stem of streptozotocin induced diabetic rats", Molecular and Cellular Biochemistry, vol. 199, pp. 81-85, 1999. AY Kaplan, S.A., et al., "Urodynamic findings in patients with diabetic cystopathy", The Journal of Urology, vol. 153, pp. 342-344, 1995. Kihara, H., et al., "Antithrombotic activity of AT-1015, a potent 5-HT _{2A} receptor antagonist, in rat arterial thrombosis model and its effect on bleeding time", European Journal of Pharmacology, vol. 433, pp. 157-162, 2001.		-	Ichiyanagi, N., et al., "Changed responsiveness of the detrusor in rabbits with alloxan induced
antagonist, on diabetic nephropathy and neuropathy", Nephron, vol. 76, pp. 227-229, 1997. Jackson, J., et al., "Enhancement of [m-methoxy 3H]MDL100907 binding to 5HT _{2A} receptors in cerebral cortex and brain stem of streptozotocin induced diabetic rats", Molecular and Cellular Biochemistry, vol. 199, pp. 81-85, 1999. AY Kaplan, S.A., et al., "Urodynamic findings in patients with diabetic cystopathy", The Journal of Urology, vol. 153, pp. 342-344, 1995. Kihara, H., et al., "Antithrombotic activity of AT-1015, a potent 5-HT _{2A} receptor antagonist, in rate arterial thrombosis model and its effect on bleeding time", European Journal of Pharmacology, vol. 433, pp. 157-162, 2001.	21	AV	of Urology, vol. 168, pp. 303-307, 2002.
Jackson, J., et al., "Enhancement of [m-methoxy 3H]MDL100907 binding to 5HT _{2A} receptors in cerebral cortex and brain stem of streptozotocin induced diabetic rats", Molecular and Cellular Biochemistry, vol. 199, pp. 81-85, 1999. AY Kaplan, S.A., et al., "Urodynamic findings in patients with diabetic cystopathy", The Journal of Urology, vol. 153, pp. 342-344, 1995. Kihara, H., et al., "Antithrombotic activity of AT-1015, a potent 5-HT _{2A} receptor antagonist, in rat arterial thrombosis model and its effect on bleeding time", European Journal of Pharmacology, vol. 433, pp. 157-162, 2001.	シィ	ΔW	Ishimura, E., et al., "Therapeutic effect of sarpogrelate, a new 5-hydroxytryptamine receptor 2A
AX cerebral cortex and brain stem of streptozotocin induced diabetic rats", Molecular and Cellular Biochemistry, vol. 199, pp. 81-85, 1999. AY Kaplan, S.A., et al., "Urodynamic findings in patients with diabetic cystopathy", The Journal of Urology, vol. 153, pp. 342-344, 1995. Kihara, H., et al., "Antithrombotic activity of AT-1015, a potent 5-HT _{2A} receptor antagonist, in rat arterial thrombosis model and its effect on bleeding time", European Journal of Pharmacology, vol. 433, pp. 157-162, 2001.		Α"	antagonist, on diabetic nephropathy and neuropathy", Nephron, vol. 76, pp. 227-229, 1997.
Biochemistry, vol. 199, pp. 81-85, 1999. AY Kaplan, S.A., et al., "Urodynamic findings in patients with diabetic cystopathy", The Journal of Urology, vol. 153, pp. 342-344, 1995. Kihara, H., et al., "Antithrombotic activity of AT-1015, a potent 5-HT _{2A} receptor antagonist, in rat arterial thrombosis model and its effect on bleeding time", European Journal of Pharmacology, vol. 433, pp. 157-162, 2001.		AV	
AY Kaplan, S.A., et al., "Urodynamic findings in patients with diabetic cystopathy", The Journal of Urology, vol. 153, pp. 342-344, 1995. Kihara, H., et al., "Antithrombotic activity of AT-1015, a potent 5-HT _{2A} receptor antagonist, in rat arterial thrombosis model and its effect on bleeding time", European Journal of Pharmacology, vol. 433, pp. 157-162, 2001. Kim H. et al., "Acute effects of sevetonin on rat bledder contractility." Urologia Internationalis	2	_ ^^	
Kihara, H., et al., "Antithrombotic activity of AT-1015, a potent 5-HT _{2A} receptor antagonist, in rate arterial thrombosis model and its effect on bleeding time", European Journal of Pharmacology, vo. 433, pp. 157-162, 2001. Kim H. L. et al. "A cute effects of sevetonin on rat bledder contractility." Urologia Internationalis		A.V.	
AZ arterial thrombosis model and its effect on bleeding time", European Journal of Pharmacology, vo. 433, pp. 157-162, 2001.	27	AY	
433, pp. 157-162, 2001. Vim H I at al. "Agute effects of ceretonin on rat bladder contractility". Urologia Internationalis			
455, pp. 157-102, 2001. Vim H I at al. "A gute effects of ceretonin on rat bladder contractility." Urologia Internationalis	24	AZ	
		<u> </u>	Kim, H.J., et al., "Acute effects of serotonin on rat bladder contractility", Urologia Internationalis,
AAA vol. 68, pp. 44-48, 2002.	ZT	AAA	
Kobori, S., et al., "Effect of 5-hydroxytryptamine _{2A} receptor antagonist on the development of			
ABB diabetic nephropathy in early stage", Diabetes Mellitus: Recent Advances for the 21 th Century, pp. 283-286 2000			
283-286, 2000. Kodama, M., et al., "Influence of 5-hydroxytrytamine and the effect of a new serotonin receptor			
ACC antagonist (sarpagrelate) on detrusor smooth muscle of strentozotocin-induced diabetes mellitus in	ACC antagonist (sarpogrelate) on detrusor smooth muscle of streptozotocin-indutte rat", International Journal of Urology, vol. 7, pp. 231-235, 2000.		
the rat". International Journal of Urology, vol. 7, pp. 231-235, 2000.			
Towns Dark at 15 HT automorphism agreement for the treatment of achigombronic" Comment		455	
Pharmaceutical Design, vol. 3, pp. 367-390, 1997.	T	ADD	Pharmaceutical Design, vol. 3, pp. 367-390, 1997.
Malyszko, J., et al., "Daily variations of platelet aggregation in relation to blood and plasma		AEE	
serotonin in diabetes", Thrombosis Research, vol. 75(5), pp. 569-576, 1994.	<u> </u>		
Mano, T., et al., "The effect of anplag (sarpogrelate HCl), new selective 5-HT ₂ antagonist on intraocular pressure in rabbits", <i>Investigative Ophthalmology & Visual Science</i> , vol. 36(4), pp. 332	>_	ACC	Mano, T., et al., "The effect of anplag (sarpogrelate HCl), new selective 5-H l ₂ antagonist on intraocular pressure in rabbits", <i>Investigative Ophthalmology & Visual Science</i> , vol. 36(4), pp. 3322-
AFF intraocular pressure in rabbits, investigative Ophthalmology & Visual Science, vol. 30(4), pp. 332 3309, 1995.	4	AFF	
77 1 77 7 77 1 47 1 1 1 1 1 1 1 1 1 1 1	7_	466	
acceleration of diabetic foot ulcers", Archives of Medical Research, vol. 28(1), pp. 95-99, 1997.	=	AGG	acceleration of diabetic foot ulcers", Archives of Medical Research, vol. 28(1), pp. 95-99, 1997.
	2_	АНН	Menendez, V., et al., "Urodynamic evaluation in simultaneous insulin-dependent diabetes mellitus
	<i>4</i> 1		
Mermoud, A., et al., "Le traitment du glaucoma a pression normale avec un antagoniste des	$\overline{}$	ATT	Mermoud, A., et al., "Le traitment du glaucoma a pression normale avec un antagoniste des recepteurs S2 de la serotonine, le naftidrofuryl (praxilen)", Klin. Mbl. Augenheilk., vol. 198, pp. 332-
AII recepteurs S2 de la serotonine, le naftidrofuryl (praxilen)", Klin. Mbl. Augenheilk., vol. 198, pp. 33 334, 1991.	ZT	AII	
Marmoud A at al "Double blind study in the treatment of normal tension glaucoma with			
AJJ naftidrofuryl", Opthalmologica, vol. 201, pp. 145-151, 1990.	台	AJJ	

Examiner Signature Zach	Date Considered 21 AV 6V 5 7 2866
EXAMINER: Initials citation considered. Draw line through citation if no	t in conformance and not considered. Include copy of this form with
next communication to applicant.	

Substitute Form PTO-1449 (Modified)			Application No. 10/622,055
Information Disclosure Statement by Applicant (Use several sheets if necessary) (37 CFR §1.98(b))		Applicant Cernerud et al.	
		Filing Date July 17, 2003	Group Art Unit 1614 1624

	Other D	ocuments (include Author, Title, Date, and Place of Publication)
Examiner	Desig.	
Initial	ID_	Document
ZT	AKK	Nabeshima, T., et al., "Effect of naftidrofuryl oxalate on 5-HT ₂ receptors in mouse brain: evaluation based on quantitative autoradiography and head-twitch response", European Journal of Pharmacology, vol. 223, pp. 109-115, 1992.
27	ALL	Obata, H., et al., "Antinociception in rat by sarpogrelate, a selective 5-HT _{2A} receptor antagonist, is peripheral", European Journal of Pharmacology, vol. 404, pp. 95-102, 2000.
3	AMM	Ogawa, S., et al., "The 5-HT ₂ receptor antagonist sarpogrelate reduces urinary and plasma levels of thromboxane A2 and urinary albumin excretion in non-insulin-dependent diabetes mellitus patients", Clinical and Experimental Pharmacology and Physiology, vol. 26, pp. 461-464, 1999.
21	ANN	Otake, T., et al., "Bone atrophy in complex regional pain syndrome patients measured by microdensitometry", Canadian Journal of Anesthesiology, vol. 45(9), pp. 831-838, 1998.
21	A00	Pietraszek, M.H., et al., "Blood serotonergic mechanisms in type 2 (non-insulin-dependent) diabetes mellitus", <i>Thrombosis Research</i> , vol. 66, pp. 765-774, 1992.
子	APP	Pietraszek, M.H., et al., "Enhanced platelet response to serotonin in diabetes mellitus in relationship to vascular complications", <i>Thromb. Haemost.</i> 1991, 65, 985 (Abstract Only)
2	AQQ	Pietraszek, M.H., et al., "The effect of MCI-9042 on serotonin-induced platelet aggregation in type 2 diabetes mellitus", <i>Thrombosis Research</i> , vol. 70, pp. 131-138, 1993.
27	ARR	Radulovacki, M., et al., "Ketanserin, a 5-HT ₂ receptor antagonist, reduces sleep apneas in rats", Research Communications in Biological Psychology and Psychiatry, vol. 26 (1,2), 2001.
25	ASS	Robertson, S.C., et al., "Effects of serotonin (5-HT) and selective 5-HT receptor antagonists on regional cerebral blood flow after middle cerebral artery occlusion", Surgical Forum, pp. 561-563.
25	ATT	Saxena, P.R., et al., "Excitatory 5-hydroxytryptamine receptors in the cat urinary bladder are of the M- and 5-HT2-type", Journal of Autonomic Pharmacology, vol. 5, pp. 101-107, 1985.
3	AUU	Schechter, L.E., et al., "Serotonergic antidepressants: current and future perspectives", CPNS Investigational Drugs, vol. 7(4), pp. 432-447, 1999.
ZF	AVV	Sorbera, L.A., et al., "MDL-100907", Drugs of the Future, vol. 23(9), pp. 955-965, 1998.
द	AWW	Stratz, T., et al., "Blockierung der S2-rezeptoren – ein neues behandlungspringzip der generlisierten tendomyopathie (fibromyalgie)?", Zeitschrift fur Rheumatologie, vol. 50, pp. 21-22, 1991. (Abstract Only)
27	AXX	Sugimoto, S., et al., "Characteristics of 5-HT _{2A} receptors in the bladder smooth muscle of diabetic rats", Nihon. Univ. J. Med., vol. 43, pp. 141-152, 2001.
21	AYY	Sumiyoshi, T., et al., "The effect of streptozotocin-induced diabetes on dopamine2, serotonin 1A, and serotonin 2A receptors in the rat brain", Neuropsychopharmacology, vol. 16(3), 183-190, 1997.
2	AZZ	Takei, I., et al., "Effects of the 5-HT ₂ receptor antagonist sarpogrelate on diabetic vascular disease", Diabetes Research, vol. 34, pp. 239-246, 1999.
टा	AAAA	Takenaka, H., et al., "The effect of anglag (saprogrepalte HCL), novel selective 5-HT ₂ antagonist on intraocular presser in glaucoma patients", <i>Invest. Ophthalmol. Vis. Sci.</i> 1995, 36, S734. (Abstract Only)
ZT	ABBB	Takimoto, Y., et al., "The effect of 5-HT ₂ antagonist for urinary frequency symptom on diabetes mellitus patients", Jpn. J. Urol. vol. 90(8), pp. 731-740, 1999. (Abstract Only)
ZT Zr	ACCC	Tammela, T.L.J., et al., "Temporal changes in micturition and bladder contractility after sucrose diuresis and streptozotocin-induced diabetes mellitus in rats", <i>The Journal of Urology</i> , vol. 153, pp. 2014-2021, 1995.

Examiner Signature	Talh	Date Considered 21 AVGUST 2006					
EXAMINER: Initials citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.							

Substitute Form PTO-1449 (Modified)			Application No. 10/622,055
Information Disclosure Statement by Applicant (Use several sheets if necessary) (37 CFR §1.98(b))		Applicant Cernerud et al.	
		Filing Date July 17, 2003	Group Art Unit 16141624

Other Documents (include Author, Title, Date, and Place of Publication)		
Examiner Initial	Desig. ID	Document
21	ADDD	Tokunaga, A., et al., "5-HT _{2A} receptor subtype is involved in the thermal hyperalgesic mechanism of serotonin in the periphery", <i>Pain</i> , vol. 76, pp. 349-355, 1998.
21	AEEE	Viola, A.U., et al., "Ritaserin, a serotonin-2 receptor antagonist, improves ultradian sleep rhythmicity in young poor sleepers", Clinical Neurophysiology, vol. 113, pp. 429-434, 2002.
ZT	AFFF	Weinberger, D.R., et al., "Cognitive function in schizophrenia", International Clinical Psychopharmacology, vol. 12(supp.), pp. S29-S36, 1997.
21	AGGG	Yoshida, A., et al., "5-hydroxytryptamine receptors, especially the 5-HT ₄ receptor, in guinea pig urinary bladder", <i>Jpn. J. Pharmacol.</i> , vol. 89, pp. 349-355, 2002.

Date Considered 21 AVGV5T 2006 Examiner Signature

EXAMINER: Initials citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.